



STATUTORY INSTRUMENTS.

S.I. No. 214 of 2010

TAXES CONSOLIDATION ACT 1997 (ACCELERATED CAPITAL
ALLOWANCES FOR ENERGY EFFICIENT EQUIPMENT)
(AMENDMENT) ORDER 2010

(Prn. A10/0674)

TAXES CONSOLIDATION ACT 1997 (ACCELERATED CAPITAL
ALLOWANCES FOR ENERGY EFFICIENT EQUIPMENT)
(AMENDMENT) ORDER 2010

I, EAMON RYAN , Minister for Communications, Energy and Natural Resources, in exercise of the powers conferred on me by section 285A (inserted by section 46 of the Finance Act 2008 (No. 3 of 2008)) of the Taxes Consolidation Act 1997 (No. 39 of 1997), with the approval of, and after consultation with, the Minister for Finance, hereby order as follows:

1. (1) This Order may be cited as the Taxes Consolidation Act 1997 (Accelerated Capital Allowances for Energy Efficient Equipment) (Amendment) Order 2010.

(2) The collective citation, “the Taxes Consolidation Act 1997 (Accelerated Capital Allowances for Energy Efficient Equipment) Orders 2008, 2009 and 2010”, includes this Order.

2. In this Order “Principal Order” means the Taxes Consolidation Act 1997 (Accelerated Capital Allowances for Energy Efficient Equipment) Order 2008 (S.I. No. 399 of 2008).

3. Schedule 1 of the Principal Order is amended by substituting the following for Part 7 of that Schedule:

“Part 7

Category: Information and Communications Technology (ICT)

Technology: Enterprise Storage

Enterprise Storage equipment is defined as a storage device specifically designed to achieve very high levels of energy efficiency. A storage device is defined as an array of disks which consist of fast access iSCSI/Fibrechannel disks and/or larger and slower SATA disks.

Enterprise Storage equipment is considered to include one or both of the following:

Solid State Drive Storage

A Solid State Drive storage unit is typically made up of solid-state electronics rather than electromechanical devices.

*Notice of the making of this Statutory Instrument was published in
“Iris Oifigiúil” of 21st May, 2010.*

Disk Drive Storage

A Disk Drive storage unit is where data is recorded on planar, round and rotating surfaces.

Eligibility Criteria Overview

In order to be included on the ACA Specified List, the specific Enterprise Storage equipment must meet all of the relevant requirements set out below.

***Note:** Supporting documentation that clearly demonstrates ACA compliance according to the conditions below will be required as part of the ACA checking process. Detailed information on the types of documents accepted can be found in the separate Supporting Documentation guidelines.*

General Eligibility Criteria

(Applicable to all Enterprise Storage Types)

No.	Condition
1.	Be supplied with management software capable of two of the following: A. Data de-duplication, data compression or single instancing B. Thin/Virtual Provisioning C. Array Virtualisation
2.	Must form part of one of the following enterprise storage solutions: A. Storage Area Network (SAN) B. Direct Attached Storage (DAS) C. Network Attached Storage (NAS)

Solid State Drive Storage Eligibility Criteria

(To be met in addition to the general eligibility criteria)

No.	Condition
3.	Must be designed to form part of an enterprise storage solution and have a minimum storage capacity of 120 Gb.

Disk Drive Storage Eligibility Criteria

(To be met in addition to the general eligibility criteria)

No.	Condition
4.	When idle, be capable of intelligent power-down and drive spin-down or slow spin (MAID 2/IPM).
5.	Have a disk tiering strategy capable of supporting storage media with multiple power / capacity points with a factor of at least 2X between the slowest and fastest.

”.

4 [214]

4. Part 2 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29765	MMX34AA012F0-0	M-MAX frequency Inverter MMX34AA012F0 323-528V	The M-MAX series frequency inverters allow drives to be adapted easily to customer requirements. With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW	Eaton Electric B.V.
VSD29766	MMX12AA1D7F0-0	M-MAX frequency Inverter MMX12AA1DF0	The M-MAX series frequency inverters allow drives to be adapted easily to customer requirements. With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW	Eaton Electric B.V.
VSD29767	MMX12AA2D4F0-0	M-MAX Frequency Inverter MMX12AA2D4F0 177-264V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29768	MMX12AA2D8F0-0	M-MAX Frequency Inverter MMX12AA2D8F0 177-264V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.
VSD29769	MMX12AA3D7F0-0	M-MAX Frequency Inverter MMX12AA3D7F0 177-264V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.
VSD29770	MMX12AA4D8F0-0	M-MAX Frequency Inverter MMX12AA4D8F0 177-264V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.
VSD29771	MMX12AA7D0F0-0	M-MAX Frequency Inverter MMX12AA7D0F0 177-264V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29772	MMX12AA9D6F0-0	M-MAX Frequency Inverter MMX12AA9D6F0 177-264V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.
VSD29773	MMX34AA1D3F0-0	M-MAX Frequency Inverter MMX43AA1D3F0 323-528V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.
VSD29774	MMX34AA1D9F0-0	M-MAX Frequency Inverter MMX43AA1D9F0 323-528V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.
VSD29775	MMX34AA2D4F0-0	M-MAX Frequency Inverter MMX43AA2D4F0 323-528V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29776	MMX34AA3D3F0-0	M-MAX Frequency Inverter MMX43AA3D3F0 323-528V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.
VSD29777	MMX34AA4D3F0-0	M-MAX Frequency Inverter MMX43AA4D3F0 323-528V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.
VSD29778	MMX34AA5D6F0-0	M-MAX Frequency Inverter MMX43AA5D6F0 323-528V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.
VSD29779	MMX34AA7D6F0-0	M-MAX Frequency Inverter MMX43AA7D6F0 323-528V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29780	MMX34AA9D0F0-0	M-MAX Frequency Inverter MMX43AA9D0F0 323-528V	The M-MAX With a compact design for assigned motor ratings from 0.25 kW to 5.5 kW, M-MAX can offer maximum flexibility	Eaton Electric B.V.
VSD29781	SP 1.5TL	UNIDRIVE SP 1.5TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29782	SP 2TL	UNIDRIVE SP 2TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29783	SP 2.5TL	UNIDRIVE SP 2.5TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29784	SP 3.5TL	UNIDRIVE SP 3.5TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29785	SP 4.5TL	UNIDRIVE SP 4.5TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29786	SP 5.5TL	UNIDRIVE SP 5.5TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29787	SP 8TL	UNIDRIVE SP 8TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29788	SP 11TL	UNIDRIVE SP 11TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29789	SP 16TL	UNIDRIVE SP 16TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29790	SP 22TL	UNIDRIVE SP 22TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29791	SP 27TL	UNIDRIVE SP 27TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29792	SP 33TL	UNIDRIVE SP 33TL	VSD solutions platform 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29793	SP 1.5T	UNIDRIVE SP 1.5T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29794	SP 2T	UNIDRIVE SP 2T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29795	SP 2.5T	UNIDRIVE SP 2.5T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29796	SP 3.5T	UNIDRIVE SP 3.5T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29797	SP 4.5T	UNIDRIVE SP 4.5T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29798	SP 5.5T	UNIDRIVE SP 5.5T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29799	SP 8T	UNIDRIVE SP 8T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29800	SP 11T	UNIDRIVE SP 11T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29801	SP 16T	UNIDRIVE SP 16T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29802	SP 22T	UNIDRIVE SP 22T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29803	SP 27T	UNIDRIVE SP 27T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29804	SP 33T	UNIDRIVE SP 33T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29805	SP 40T	UNIDRIVE SP 40T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29806	SP 50T	UNIDRIVE SP 50T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29807	SP 60T	UNIDRIVE SP 60T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29808	SP 75T	UNIDRIVE SP 75T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29809	SP 100T	UNIDRIVE SP 100T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29810	SP 120T	UNIDRIVE SP 120T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29811	SP 150T	UNIDRIVE SP 150T	VSD solutions platform 3-phase 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29812	SP 3.5TM	UNIDRIVE SP 3.5TM	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29813	SP 4.5TM	UNIDRIVE SP 4.5TM	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29814	SP 5.5TM	UNIDRIVE SP 5.5TM	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29815	SP 8TM	UNIDRIVE SP 8TM	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29816	SP 11TM	UNIDRIVE SP 11TM	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29817	SP 16TM	UNIDRIVE SP 16TM	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29818	SP 22TM	UNIDRIVE SP 22TM	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29819	SP 33TH 575	UNIDRIVE SP 33TH 575	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29820	SP 40TH 575	UNIDRIVE SP 40TH 575	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29821	SP 50TH 575	UNIDRIVE SP 50TH 575	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29822	SP 60TH 575	UNIDRIVE SP 60TH 575	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29823	SP 75TH 575	UNIDRIVE SP 75TH 575	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29824	SP 100TH 575	UNIDRIVE SP 100TH 575	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29825	SP 120TH 575	UNIDRIVE SP 120TH 575	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29826	SP 150TH 575	UNIDRIVE SP 150TH 575	VSD solutions platform 3-phase 500 to 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29827	SP 22TH	UNIDRIVE SP 22TH	VSD solutions platform 3-phase 500 to 690V±10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29828	SP 27TH	UNIDRIVE SP 27TH	VSD solutions platform 3-phase 500 to 690V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29829	SP 33TH 690	UNIDRIVE SP 33TH 690	VSD solutions platform 3-phase 500 to 690V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29830	SP 40TH 690	UNIDRIVE SP 40TH 690	VSD solutions platform 3-phase 500 to 690V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29831	SP 50TH 690	UNIDRIVE SP 50TH 690	VSD solutions platform 3-phase 500 to 690V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29832	SP 60TH 690	UNIDRIVE SP 60TH 690	VSD solutions platform 3-phase 500 to 690V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29833	SP 75TH 690	UNIDRIVE SP 75TH 690	VSD solutions platform 3-phase 500 to 690V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29834	SP 100TH 690	UNIDRIVE SP 100TH 690	VSD solutions platform 3-phase 500 to 690V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29835	SP 120TH 690	UNIDRIVE SP 120TH 690	VSD solutions platform 3-phase 500 to 690V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29836	SP 150TH 690	UNIDRIVE SP 150TH 690	VSD solutions platform 3-phase 500 to 690V±10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29837	MDS 60T	POWERDRIVE MDS 60T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29838	MDS 75T	POWERDRIVE MDS 75T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29839	MDS 100T	POWERDRIVE MDS 100T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29840	MDS 120T	POWERDRIVE MDS 120T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29841	MDS 150T	POWERDRIVE MDS 150T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29842	MDS 180T	POWERDRIVE MDS 180T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29843	MDS 220T	POWERDRIVE MDS 220T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29844	MDS 270T	POWERDRIVE MDS 270T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29845	MDS 340T	POWERDRIVE MDS 340T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29846	MDS 400T	POWERDRIVE MDS 400T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29847	MDS 470T	POWERDRIVE MDS 470T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29848	MDS 600T	POWERDRIVE MDS 600T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29849	MDS 750T	POWERDRIVE MDS 750T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29850	MDS 900T	POWERDRIVE MDS 900T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29851	MDS 1100T	POWERDRIVE MDS 1100T	Advanced modular VSD 400V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29852	MDS 270TH	POWERDRIVE MDS 270TH	Advanced modular VSD 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29853	MDS 340TH	POWERDRIVE MDS 340TH	Advanced modular VSD 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29854	MDS 400TH	POWERDRIVE MDS 400TH	Advanced modular VSD 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29855	MDS 500TH	POWERDRIVE MDS 500TH	Advanced modular VSD 575V±10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29856	MDS 600TH	POWERDRIVE MDS 600TH	Advanced modular VSD 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29857	MDS 750TH	POWERDRIVE MDS 750TH	Advanced modular VSD 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29858	MDS 900TH	POWERDRIVE MDS 900TH	Advanced modular VSD 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29859	MDS 1200TH	POWERDRIVE MDS 1200TH	Advanced modular VSD 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29860	MDS 1500TH	POWERDRIVE MDS 1500TH	Advanced modular VSD 575V±10%, 50 or 60Hz	Leroy Somer Ltd
VSD29861	SK 0.5 ML	DIGIDRIVE SK 0.5 ML	Open loop VSD 1-phase 100V-10% to 120V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29862	SK 1 ML	DIGIDRIVE SK 1 ML	Open loop VSD 1-phase 100V-10% to 120V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29863	SK 1.5 ML	DIGIDRIVE SK 1.5 ML	Open loop VSD 1-phase 100V-10% to 120V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29864	SK 2 ML	DIGIDRIVE SK 2 ML	Open loop VSD 1-phase 100V-10% to 120V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29865	SK 0.5 M	DIGIDRIVE SK 0.5 M	Open loop VSD 1-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29866	SK 1 M	DIGIDRIVE SK 1 M	Open loop VSD 1-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29867	SK 1.2 M	DIGIDRIVE SK 1.2 M	Open loop VSD 1-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29868	SK 1.5 M	DIGIDRIVE SK 1,5 M	Open loop VSD 1-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29869	SK 2 M/TL 1-PH	DIGIDRIVE SK 2 M/TL 1-PH	Open loop VSD 1-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29870	SK 2.5 M/TL 1-PH	DIGIDRIVE SK 2.5 M/TL 1-PH	Open loop VSD 1-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29871	SK 3.5 M/TL 1-PH	DIGIDRIVE SK 3.5 M/TL 1-PH	Open loop VSD 1-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29872	SK 4.5 M/TL 1-PH	DIGIDRIVE SK 4.5 M/TL 1-PH	Open loop VSD 1-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29873	SK 2 M/TL 3-PH	DIGIDRIVE SK 2 M/TL 3-PH	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29874	SK 2.5 M/TL 3-PH	DIGIDRIVE SK 2.5 M/TL 3-PH	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29875	SK 3.5 M/TL 3-PH	DIGIDRIVE SK 3.5 M/TL 3-PH	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29876	SK 4.5 M/TL 3-PH	DIGIDRIVE SK 4.5 M/TL 3-PH	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29877	SK 5 TL	DIGIDRIVE SK 5 TL	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29878	SK 4.5 TL	DIGIDRIVE SK 4.5 TL	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29879	SK 5.5 TL	DIGIDRIVE SK 5.5 TL	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29880	SK 8 TL	DIGIDRIVE SK 8 TL	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29881	SK 11 TL	DIGIDRIVE SK 11 TL	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29882	SK 16 TL	DIGIDRIVE SK 16 TL	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29883	SK 22 TL	DIGIDRIVE SK 22 TL	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29884	SK 27 TL	DIGIDRIVE SK 27 TL	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29885	SK 33 TL	DIGIDRIVE SK 33 TL	Open loop VSD 3-phase 200V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29886	SK 1 T	DIGIDRIVE SK 1 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29887	SK 1.2 T	DIGIDRIVE SK 1.2 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29888	SK 1.5 T	DIGIDRIVE SK 1.5 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29889	SK 2 T	DIGIDRIVE SK 2 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29890	SK 2.5 T	DIGIDRIVE SK 2.5 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29891	SK 3.5 T	DIGIDRIVE SK 3.5 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29892	SK 4.5 T	DIGIDRIVE SK 4.5 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29893	SK 5.5 T	DIGIDRIVE SK 5.5 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29894	SK 7 T	DIGIDRIVE SK 7 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29895	SK 10 T	DIGIDRIVE SK 10 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29896	SK 8 T	DIGIDRIVE SK 8 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29897	SK 11 T	DIGIDRIVE SK 11 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29898	SK 16 T	DIGIDRIVE SK 16 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29899	SK 22 T	DIGIDRIVE SK 22 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29900	SK 27 T	DIGIDRIVE SK 27 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29901	SK 33 T	DIGIDRIVE SK 33 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29902	SK 40 T	DIGIDRIVE SK 40 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29903	SK 50T	DIGIDRIVE SK 50T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29904	SK 60 T	DIGIDRIVE SK 60 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29905	SK 75 T	DIGIDRIVE SK 75 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29906	SK 100 T	DIGIDRIVE SK 100 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29907	SK 120 T	DIGIDRIVE SK 120 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29908	SK 150 T	DIGIDRIVE SK 150 T	Open loop VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29909	SK 3.5 TM	DIGIDRIVE SK 3.5 TM	Open loop VSD 3-phase 500V to 575V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29910	SK 4.5 TM	DIGIDRIVE SK 4.5 TM	Open loop VSD 3-phase 500V to 575V+/-10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29911	SK 5.5 TM	DIGIDRIVE SK 5.5 TM	Open loop VSD 3-phase 500V to 575V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29912	SK 8 TM	DIGIDRIVE SK 8 TM	Open loop VSD 3-phase 500V to 575V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29913	SK 11TM	DIGIDRIVE SK 11TM	Open loop VSD 3-phase 500V to 575V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29914	SK 16 TM	DIGIDRIVE SK 16 TM	Open loop VSD 3-phase 500V to 575V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29915	SK 22 TM	DIGIDRIVE SK 22 TM	Open loop VSD 3-phase 500V to 575V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29916	SK 33 TH 500-575	DIGIDRIVE SK 33 TH 500-575	Open loop VSD 3-phase 500V to 575V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29917	SK 40 TH 500-575	DIGIDRIVE SK 40 TH 500-575	Open loop VSD 3-phase 500V to 575V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29918	SK 50 TH 500-575	DIGIDRIVE SK 50 TH 500-575	Open loop VSD 3-phase 500V to 575V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29919	SK 60 TH 500-575	DIGIDRIVE SK 60 TH 500-575	Open loop VSD 3-phase 500V to 575V+/-10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29920	SK 75 TH 500-575	DIGIDRIVE SK 75 TH 500-575	Open loop VSD 3-phase 500V to 575V+/- 10%, 50 or 60Hz	Leroy Somer Ltd
VSD29921	SK 100 TH 500-575	DIGIDRIVE SK 100 TH 500-575	Open loop VSD 3-phase 500V to 575V+/- 10%, 50 or 60Hz	Leroy Somer Ltd
VSD29922	SK 120 TH 500-575	DIGIDRIVE SK 120 TH 500-575	Open loop VSD 3-phase 500V to 575V+/- 10%, 50 or 60Hz	Leroy Somer Ltd
VSD29923	SK 150 TH 500-575	DIGIDRIVE SK 150 TH 500-575	Open loop VSD 3-phase 500V to 575V+/- 10%, 50 or 60Hz	Leroy Somer Ltd
VSD29924	SK 22 TH 575-690	DIGIDRIVE SK 22 TH 575-690	Open loop VSD 3-phase 500V to 690V+/- 10%, 50 or 60Hz	Leroy Somer Ltd
VSD29925	SK 27 TH 575-690	DIGIDRIVE SK 27 TH 575-690	Open loop VSD 3-phase 500V to 690V+/- 10%, 50 or 60Hz	Leroy Somer Ltd
VSD29926	SK 33 TH 575-690	DIGIDRIVE SK 33 TH 575-690	Open loop VSD 3-phase 500V to 690V+/- 10%, 50 or 60Hz	Leroy Somer Ltd
VSD29927	SK 40 TH 575-690	DIGIDRIVE SK 40 TH 575-690	Open loop VSD 3-phase 500V to 690V+/- 10%, 50 or 60Hz	Leroy Somer Ltd
VSD29928	SK 50 TH 575-690	DIGIDRIVE SK 50 TH 575-690	Open loop VSD 3-phase 500V to 690V+/- 10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29929	SK 60 TH 575-690	DIGIDRIVE SK 60 TH 575-690	Open loop VSD 3-phase 500V to 690V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29930	SK 75 TH 575-690	DIGIDRIVE SK 75 TH 575-690	Open loop VSD 3-phase 500V to 690V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29931	SK 100 TH 575-690	DIGIDRIVE SK 100 TH 575-690	Open loop VSD 3-phase 500V to 690V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29932	SK 120 TH 575-690	DIGIDRIVE SK 120 TH 575-690	Open loop VSD 3-phase 500V to 690V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29933	SK 150 TH 575-690	DIGIDRIVE SK 150 TH 575-690	Open loop VSD 3-phase 500V to 690V+/-10%, 50 or 60Hz	Leroy Somer Ltd
VSD29934	PX 1 TL SET	PROXIDRIVE PX 1 TL SET	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29935	PX 1.2 TL SET	PROXIDRIVE PX 1.2 TL SET	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29936	PX 1.5 TL SET	PROXIDRIVE PX 1.5 TL SET	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29937	PX 2 TL SET	PROXIDRIVE PX 2 TL SET	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29938	PX 2.5 TL SET	PROXIDRIVE PX 2.5 TL SET	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29939	PX 3.5 TL SET	PROXIDRIVE PX 3.5 TL SET	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29940	PX 4.5 TL SET	PROXIDRIVE PX 4.5 TL SET	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29941	PX 5.5 TL SET	PROXIDRIVE PX 5.5 TL SET	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29942	PX 1 TL CP	PROXIDRIVE PX 1 TL CP	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29943	PX 1.2 TL CP	PROXIDRIVE PX 1.2 TL CP	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29944	PX 1.5 TL CP	PROXIDRIVE PX 1,5 TL CP	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29945	PX 2 TL CP	PROXIDRIVE PX 2 TL CP	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29946	PX 2.5 TL CP	PROXIDRIVE PX 2.5 TL CP	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29947	PX 3.5 TL CP	PROXIDRIVE PX 3.5 TL CP	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29948	PX 4.5 TL CP	PROXIDRIVE PX 4.5 TL CP	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29949	PX 5.5 TL CP	PROXIDRIVE PX 5.5 TL CP	IP66 VSD 3-phase 208V-10% to 240V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29950	PX 1.5 T SET	PROXIDRIVE PX 1.5 T SET	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29951	PX 2 T SET	PROXIDRIVE PX 2 T SET	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29952	PX 2.5 T SET	PROXIDRIVE PX 2.5 T SET	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29953	PX 3.5 T SET	PROXIDRIVE PX 3.5 T SET	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29954	PX 4.5 T SET	PROXIDRIVE PX 4.5 T SET	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29955	PX 5.5 T SET	PROXIDRIVE PX 5.5 T SET	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29956	PX 8 T SET	PROXIDRIVE PX 8 T SET	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29957	PX 11 T SET	PROXIDRIVE PX 11 T SET	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29958	PX 1.5 T CP	PROXIDRIVE PX 1.5 T CP	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29959	PX 2 T CP	PROXIDRIVE PX 2 T CP	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29960	PX 2.5 T CP	PROXIDRIVE PX 2.5 T CP	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29961	PX 3.5 T CP	PROXIDRIVE PX 3.5 T CP	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29962	PX 4.5 T CP	PROXIDRIVE PX 4.5 T CP	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29963	PX 5.5 T CP	PROXIDRIVE PX 5.5 T CP	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd
VSD29964	PX 8 T CP	PROXIDRIVE PX 8 T CP	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
VSD29965	PX 11 T CP	PROXIDRIVE PX 11 T CP	IP66 VSD 3-phase 380V-10% to 480V+10%, 50 or 60Hz	Leroy Somer Ltd

”.

5. Part 3 of Schedule 2 to the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG28679	TCW 216 1X49W HFP PI	Pacific TCW216	Vapour proof surface luminaire	Philips
LIG28774	TBS 260 4xTL5-14W HFP D6/C6	EFix TBS 260	Recessed modular luminaire	Philips
LIG29086	TCS125 1xTL5-35W/840 HF PCP	Modella 1x35	Surface mounted linear fluorescent	Philips
LIG29087	TCS125 1xTL5-49W/840 HF PCP	Modella 1x49	Surface mounted linear fluorescent	Philips
LIG29088	TCS125 2xTL5-35W/840 HF PCP	Modella 2x35	Surface mounted linear fluorescent	Philips
LIG29089	TCS125 2xTL5-49W/840 HF PCP	Modella 2x49	Surface mounted linear fluorescent	Philips
LIG29234	TBS330 1xTL5-14W/840 HF C6	Indolight TBS330 1x14W	Recessed modular luminaire	Philips
LIG29235	TBS330 1xTL5-28W/840 HF C6	Indolight TBS330 1x28W	Recessed modular luminaire	Philips
LIG29236	TBS330 1xTL5-35W/840 HF C6	Indolight TBS330 1x35W	Recessed modular luminaire	Philips
LIG29237	TBS330 1xTL5-49W/840 HF C6	Indolight TBS330 1x49W	Recessed modular luminaire	Philips
LIG29238	TBS330 1xTL5-54W/840 HF C6	Indolight TBS330 1x54W	Recessed modular luminaire	Philips
LIG29239	TBS330 1xTL5-80W/840 HF C6	Indolight TBS330 1x80W	Recessed modular luminaire	Philips
LIG29240	TBS330 2xTL5-14W/840 HF C6	Indolight TBS330 2x14W	Recessed modular luminaire	Philips
LIG29241	TBS330 2xTL5-28W/840 HF C6	Indolight TBS330 2x28W	Recessed modular luminaire	Philips
LIG29242	TBS330 2xTL5-35W/840 HF C6	Indolight TBS330 2x35W	Recessed modular luminaire	Philips

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG29243	TBS330 2xTL5-49W/840 HF C6	Indolight TBS330 2x49W	Recessed modular luminaire	Philips
LIG29244	TBS330 2xTL5-54W/840 HF C6	Indolight TBS330 2x54W	Recessed modular luminaire	Philips
LIG29245	TBS330 3xTL5-14W/840 HF C6	Indolight TBS330 3x14W	Recessed modular luminaire	Philips
LIG29246	TBS330 4xTL5-14W/840 HF C6	Indolight TBS330 4x14W	Recessed modular luminaire	Philips
LIG29247	TBS330 4xTL5-24W/840 HF C6	Indolight TBS330 4x24W	Recessed modular luminaire	Philips
LIG29249	TBS760 2xTL5-28W/840 HF AC-MLO ND	Savio TBS760 2x28W	Recessed modular luminaire	Philips
LIG29250	TBS760 2xTL5-35W/840 HF AC-MLO ND	Savio TBS760 2x35W	Recessed modular luminaire	Philips
LIG29251	TBS760 4xTL5-14W/840 HF AC-MLO ND	Savio TBS760 4x14W	Recessed modular luminaire	Philips
LIG29252	TBS160 2xTL5-28W/840 HF L1	IMPALA TBS160 2x28W	Recessed modular luminaire	Philips
LIG29253	TBS160 2xTL-D36W/840 HF C6	IMPALA TBS160 2x36W	Recessed modular luminaire	Philips
LIG29254	TBS160 3xTL5-14W/840 HF C6	IMPALA TBS160 3x14W	Recessed modular luminaire	Philips
LIG29255	TBS160 3xTL-D18W/840 HF C6	IMPALA TBS160 3x18W	Recessed modular luminaire	Philips
LIG29256	TBS160 3xTL-D36W/840 HF C6	IMPALA TBS160 3x36W	Recessed modular luminaire	Philips
LIG29257	TBS160 4xTL5-14W/840 HF C6	IMPALA TBS160 4x14W	Recessed modular luminaire	Philips
LIG29258	TBS160 4xTL-D18W/840 HF C6	IMPALA TBS160 4x18W	Recessed modular luminaire	Philips
LIG29259	TBS160 4xTL-D36W/840 HF C6	IMPALA TBS160 4x36W	Recessed modular luminaire	Philips
LIG29270	Twiggi 320TSW 1xTL5-28W/840 HF WB P	Twiggi 320TSW 1xTL5-28W/840 HF WB P	Luminaire for wet spaces	Philips
LIG29271	Twiggi 320TSW 1xTL5-49W/840 HF WB P	Twiggi 320TSW 1xTL5-49W/840 HF WB P	Luminaire for wet spaces	Philips

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG29272	Twiggi 320TSW 1xTL-D58W/840 HF WB P	Twiggi 320TSW 1xTL-D58W/840 HF WB P	Luminaire for wet spaces	Philips
LIG29273	Twiggi 320TSW 2xTL5-28W/840 HF WB P	Twiggi 320TSW 2xTL5-28W/840 HF WB P	Luminaire for wet spaces	Philips
LIG29274	Twiggi 320TSW 2xTL5-49W/840 HF WB P	Twiggi 320TSW 2xTL5-49W/840 HF WB P	Luminaire for wet spaces	Philips
LIG29275	Twiggi 320TSW 2xTL-D18W/840 HF WB P	Twiggi 320TSW 2xTL-D18W/840 HF WB P	Luminaire for wet spaces	Philips
LIG29276	Twiggi 320TSW 2xTL-D36W/840 HF WB P	Twiggi 320TSW 2xTL-D36W/840 HF WB P	Luminaire for wet spaces	Philips
LIG29277	Twiggi 320TSW 2xTL-D58W/840 HF WB P	Twiggi 320TSW 2xTL-D58W/840 HF WB P	Luminaire for wet spaces	Philips
LIG29279	332TSW 1xTL5- 14W/840 HF P	Twinnny 1x14W	Enclosed luminaire for surface or semi- recessed mounting	Philips
LIG29280	332TSW 1xTL5- 28W/840 HF P	Twinnny 1x28W	Enclosed luminaire for surface or semi- recessed mounting	Philips
LIG29281	332TSW 1xTL5- 35W/840 HF P	Twinnny 1x35W	Enclosed luminaire for surface or semi- recessed mounting	Philips
LIG29282	332TSW 1xTL5- 49W/840 HF P	Twinnny 1x49W	Enclosed luminaire for surface or semi- recessed mounting	Philips
LIG29283	331TSW 1xTL- D36W/840 HF P	Twinnny 1x36W	Enclosed luminaire for surface or semi- recessed mounting	Philips
LIG29284	331TSW 1xTL- D58W/840 HF P	Twinnny 1x58W	Enclosed luminaire for surface or semi- recessed mounting	Philips
LIG29285	332TSW 2xTL5- 14W/840 HF WB P	Twinnny 2x14W	Enclosed luminaire for surface or semi- recessed mounting	Philips
LIG29286	332TSW 2xTL5- 28W/840 HF P	Twinnny 2x28W	Enclosed luminaire for surface or semi- recessed mounting	Philips

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG29287	332TSW 2xTL5-35W/840 HF P	Twinny 2x35W	Enclosed luminaire for surface or semi-recessed mounting	Philips
LIG29288	332TSW 2xTL5-49W/840 HF P	Twinny 2x49W	Enclosed luminaire for surface or semi-recessed mounting	Philips
LIG29289	331TSW 2xTL-D36W/840 HF P	Twinny 2x36W	Enclosed luminaire for surface or semi-recessed mounting	Philips
LIG29290	331TSW 2xTL-D58W/840 HF P	Twinny 2x58W	Enclosed luminaire for surface or semi-recessed mounting	Philips
LIG29291	TMS122 1xTL5-14W/840 HF	Pentura 1x14W	Batten for single TL5 fluorescent lamp	Philips
LIG29292	TMS122 1xTL5-21W/840 HF	Pentura 1x21W	Batten for single TL5 fluorescent lamp	Philips
LIG29293	TMS122 1xTL5-24W/840 HF	Pentura 1x24W	Batten for single TL5 fluorescent lamp	Philips
LIG29294	TMS122 1xTL5-28W/840 HF	Pentura 1x28W	Batten for single TL5 fluorescent lamp	Philips
LIG29295	TMS122 1xTL5-35W/840 HF	Pentura 1x35W	Batten for single TL5 fluorescent lamp	Philips
LIG29296	TMS122 1xTL5-39W/840 HF	Pentura 1x39W	Batten for single TL5 fluorescent lamp	Philips
LIG29297	TMS122 1xTL5-49W/840 HF	Pentura 1x49W	Batten for single TL5 fluorescent lamp	Philips
LIG29298	TMS122 1xTL5-54W/840 HF	Pentura 1x54W	Batten for single TL5 fluorescent lamp	Philips
LIG29306	TMX204 1xTL5-14W/840 HF +GMX555 MB	TMX204 1x14W	Functional batten	Philips
LIG29307	TMX204 1xTL5-24W/840 HF +GMX555 MB	TMX204 1x24W	Functional batten	Philips
LIG29308	TMX204 1xTL5-28W/840 HF +GMX555 MB	TMX204 1x28W	Functional batten	Philips
LIG29309	TMX204 1xTL5-35W/840 HF +GMX555 MB	TMX204 1x35W	Functional batten	Philips

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG29310	TMX204 1xTL5-49W/840 HF +GMX555 MB	TMX204 1x49W	Functional batten	Philips
LIG29311	TMX204 1xTL5-54W/840 HF +GMX555 MB	TMX204 1x54W	Functional batten	Philips
LIG29312	TMX204 1xTL5-80W/840 HF +GMX555 MB	TMX204 1x80W	Functional batten	Philips
LIG29313	TMX204 1xTL-D18W/840 HF	TMX204 1x18W	Functional batten	Philips
LIG29314	TMX204 1xTL-D36W/840 HF + GMX440	TMX204 1x36W	Functional batten	Philips
LIG29315	TMX204 1xTL-D58W/840 HF + GMX440	TMX204 1x58W	Functional batten	Philips
LIG29316	TMX204 2xTL5-14W/840 HF +GMX555 MB	TMX204 2x14W	Functional batten	Philips
LIG29317	TMX204 2xTL5-28W/840 HF +GMX555 MB	TMX204 2x28W	Functional batten	Philips
LIG29318	TMX204 2xTL5-35W/840 HF +GMX555 MB	TMX204 2x35W	Functional batten	Philips
LIG29319	TMX204 2xTL5-49W/840 HF +GMX555 MB	TMX204 2x49W	Functional batten	Philips
LIG29320	TMX204 2xTL5-54W/840 HF +GMX555 MB	TMX204 2x54W	Functional batten	Philips
LIG29321	TMX204 2xTL5-80W/840 HF +GMX555 MB	TMX204 2xTL5-80W	Functional batten	Philips
LIG29322	TMX204 2xTL-D18W/840 HF	TMX204 2x18W	Functional batten	Philips
LIG29323	TMX204 2xTL-D36W/840 HF + GMX440	TMX204 2x36W	Functional batten	Philips
LIG29324	TMX204 2xTL-D58W/840 HF + GMX440	TMX204 2x58W	Functional batten	Philips
LIG29355	42157380	Zumtobel Mellow Light 4	Zumtobel Mellow Light 4 54 W Grid Mesh optic	Zumtobel
LIG29356	TBS460 1xTL5-54W/840 HF C8-VH	SmartForm TBS460 1x-54W	Recessed modular luminaire	Philips
LIG29357	TBS460 2xTL5-28W/840 HF C8-VH	SmartForm TBS460 2x28W	Recessed modular luminaire	Philips
LIG30186	TBS230 2xTL5-54W M2	TBS230 2xTL5-54W M2	Recessed modular luminaire	Philips

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG30187	HIDPVC35ICDM	HIDPVC35ICDM	Electronic Ballast	Philips
LIG30188	HIDPVC235ICDM	HIDPVC235ICDM	Electronic Ballast	Philips
LIG30189	1Relax T5 Assymetric Polish 1x14w	1Relax T5 Asym.1x14w	Recessed luminaire 600x200mm	OMS spol. s.r.o
LIG30190	2Relax T5 Assymetric Polish 1x28w	2Relax T5 Asym.1 x28w	Recessed luminaire 1200x200mm	OMS spol. s.r.o
LIG30191	3Relax T5 Assymetric Polish 1x54w	3Relax T5 Asym.1 x54w	Recessed luminaire 1200x200mm	OMS spol. s.r.o
LIG30192	4Relax T5 Assymetric Polish 2x28w	4Relax T5 Asym.2 x28w	Recessed luminaire 1200x200mm	OMS spol. s.r.o
LIG30193	5Relax T5 LA 4x28w	5Relax T5 LA	Recessed luminaire 1200x600mm	OMS spol. s.r.o
LIG30194	6Relax T5 LA 4x54w	6Relax T5 LA	Recessed luminaire 1200x600mm	OMS spol. s.r.o
LIG30195	7Relax T5 Opal 4x28W	7Relax T5 Opal	Recessed luminaire 1200x600mm	OMS spol. s.r.o
LIG30196	8Relax T5 Opal 4x54W	8Relax T5 Opal	Recessed luminaire 1200x600mm	OMS spol. s.r.o
LIG30197	9Relax T5 MAT V MIR05 A1 L1 4x14w	9Relax T5 PAR MAT	Recessed luminaire 600x600mm	OMS spol. s.r.o
LIG30198	10Relax T5 MAT V MIR05 A1 L1 1x28w	10Relax T5 PAR MAT	Recessed luminaire 1200x300mm	OMS spol. s.r.o
LIG30199	11Relax T5 MAT V MIR05 A1 L1 1x35w	11Relax T5 PAR MAT	Recessed luminaire 1500x300mm	OMS spol. s.r.o
LIG30200	12Relax T5 MAT V MIR05 A1 L1 1x49w	12Relax T5 PAR MAT	Recessed luminaire 1500x300mm	OMS spol. s.r.o
LIG30201	13Relax T5 MAT V MIR05 A1 L1 1x54w	13Relax T5 PAR MAT	Recessed luminaire 1500x300mm	OMS spol. s.r.o
LIG30202	14Relax T5 MAT V MIR05 A1 L1 2x28w	14Relax T5 PAR MAT	Recessed luminaire 1200x300mm	OMS spol. s.r.o
LIG30203	15Relax T5 MAT V MIR05 A1 L1 2x54w	15Relax T5 PAR MAT	Recessed luminaire 1200x300mm	OMS spol. s.r.o
LIG30204	16Relax T5 Reflex A8 L1 1x28w	16Relax T5 PAR MAT	Recessed luminaire 1200x300mm	OMS spol. s.r.o
LIG30205	17Relax T5 Reflex A8 L1 1x35w	17Relax T5 PAR MAT	Recessed luminaire 1500x300mm	OMS spol. s.r.o
LIG30206	18Relax T5 Reflex A8 L1 1x54w	18Relax T5 PAR MAT	Recessed luminaire 1500x300mm	OMS spol. s.r.o

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG30207	19Relax T5 Reflex A8 L1 1x80w	19Relax T5 PAR MAT	Recessed luminaire 1500x300mm	OMS spol. s.r.o
LIG30208	20Relax T5 PAR	20Relax T5 PAR Miro	Recessed luminaire 600x600mm	OMS spol. s.r.o
LIG30209	21Relax T5 Assymmetric Polish 1x80w	21Relax T5 Asym.1x14w	Recessed luminaire	OMS spol. s.r.o
LIG30210	Bell 400w	Bell 400WAL1	High Bay Luminaire Wide	OMS spol. s.r.o
LIG30211	Classic 2x28w	Classic ASN	Surface mtd luminaire	OMS spol. s.r.o
LIG30212	1Tornado PC T5 1x28w	1Tornado	Vapourproof luminaire	OMS spol. s.r.o
LIG30213	2Tornado PC T5 1x35w	2Tornado	Vapourproof luminaire	OMS spol. s.r.o
LIG30214	3Tornado PC T5 1x49w	3Tornado	Vapourproof luminaire	OMS spol. s.r.o
LIG30215	4Tornado PC T5 2x28w	4Tornado	Vapourproof luminaire	OMS spol. s.r.o
LIG30216	5Tornado PC T5 2x35w	5Tornado	Vapourproof luminaire	OMS spol. s.r.o
LIG30217	6Tornado PC T5 2x49w	6Tornado	Vapourproof luminaire	OMS spol. s.r.o
LIG30218	1Modul EN PAR VT5 2x49w	1Modul	Suspended luminaire	OMS spol. s.r.o
LIG30219	2Modul EN PAR VT5 2x49w	2Modul	Suspended luminaire	OMS spol. s.r.o
LIG30220	Plast H 2x49w	Plast H	Surface mounted Luminaire	OMS spol. s.r.o
LIG30221	1Plast P 2x28w	1Plast P	Surface mounted Luminaire	OMS spol. s.r.o
LIG30222	2Plast P 2x35w	2Plast P	Surface mounted Luminaire	OMS spol. s.r.o
LIG30223	3Plast p 2x49w	3Plast P	Surface mounted Luminaire	OMS spol. s.r.o
LIG30265	CX-14A	EcoAdaptor CX- 14A	A T5 fluroescent tube adaptor to convert T8 & T12 fluroescent tube fittings	Chungxin Industrial (HK) Ltd
LIG30266	CX-21A	EcoAdaptor CX- 21A	A T5 fluroescent tube adaptor to convert T8 & T12 fluroescent tube fittings	Chungxin Industrial (HK) Ltd
LIG30267	CX-28A	Ecoadaptor CX- 28A	A T5 fluroescent tube adaptor to convert T8 & T12 fluroescent tube fittings	Chungxin Industrial (HK) Ltd

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG30269	CX-35A	EcoAdaptor CX-35A	A T5 fluorescent tube adaptor to convert T8 & T12 fluorescent tube fittings	Chungxin Industrial (HK) Ltd
LIG30743	5LD17773JUM 02083	Avion Continuous	3x1x54w T16 Dir/Ind BAP65 HFG suspended Avion	Siteco Limited
LIG30744	5LD17774JUM 02084	Avion Continuous (C)	4x1x54w T16 Dir/Ind BAP65 HFG suspended Avion	Siteco Limited
LIG30794	TBS160418HPM 184	TBS160418HPM1 84	Recessed luminaire	Philips Electronics
LIG30796	TMS4HFP84	TMS4HFP84	Surface luminaire	Philips Electronics
LIG30797	TBS160418HPC 684	TBS160418HPC 684	Recessed luminaire	Philips Electronics
LIG30798	TBS160318HPM 184	TBS160318HPM 184	Recessed luminaire	Philips Electronics

”

6. Part 3 of Schedule 2 to the Principal Order is amended by deleting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG29202	EL-T60-CW9	LED 600mm Tube	LED 600mm Tube 9 watt	Spark
LIG29203	EL-T120-CW18	LED 1200mm Tube	LED 1200mm 18 watt tube	Spark
LIG29204	EL-T150-CW22	LED 1500mm tube	LED 1500mm 22 watt tube	Spark
LIG9117	DL-090-CWF/165.	IST LED Downlighter 5500K	Cool white (5500K CCT approx), 16 x 90 lumen LED, white bezel, frosted diffuser	Integrated System Technologies Limited
LIG9118	DL-080-NWF/165.	IST LED Downlighter 4100K CCT	Neutral white (4100K CCT approx.), 16 x 80 lumen LED, white bezel, standard frosted diffuser	Integrated System Technologies Limited
LIG10773	EcoLED-16	EcoLED-16/3000kV2	LED MR-16 Type Downlighter	EcoLED Lighting
LIG10774	MR-16 V2	EcoLed-16 V2	LED MR-16 Type Downlighter	EcoLED Lighting

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG12714	GE-LT306050CTR	Immersion RV30 Series 6050CTR	Supermarket refrigerator luminaire. 60 centre mullion. The LED is driven by a GE PS1700 Power Supply.	GE Lumination
LIG12715	GE-LT306050EDL	Immersion RV30 Series 6050EDL	Supermarket refrigerator luminaire. 60 Edge left mullion. The LED is driven by a GE PS1700 Power Supply.	GE Lumination
LIG12716	GE-LT306050EDR	Immersion RV30 Series 6050EDR	Supermarket refrigerator luminaire. 60 edge right mullion. The LED is driven by a GE PS1700 Power Supply.	GE Lumination
LIG12717	GE-LT307050CTR	Immersion RV30 Series 7050CTR	Supermarket refrigerator luminaire. 70 centre mullion. The LED is driven by a GE PS1700 Power Supply.	GE Lumination
LIG12718	GE-LT307050EDL	Immersion RV30 Series 7050EDL	Supermarket refrigerator luminaire. 70 edge left mullion. The LED is driven by a GE PS1700 Power Supply.	GE Lumination
LIG12719	GE-LT307050EDR	Immersion RV30 Series 7050EDR	Supermarket refrigerator luminaire. 70 edge right mullion. The LED is driven by a GE PS1700 Power Supply.	GE Lumination
LIG10775	DL2201 V2	Downlighter 1 V2	1x42W Recessed Downlighter, HF Ballast	Garrabridge
LIG10776	DL2551 V2	Downlighter 4 V2	2x32W Recessed Downlighter, HF Ballast	Garrabridge
LIG10777	DL2552 V2	Downlighter 5 V2	2x42W Recessed Downlighter, HF Ballast	Garrabridge
LIG10778	DL2202 V2	Downlighter 6 V2	1x42W Recessed Downlighter, HFDimmable Ballast	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10779	DL2553 V2	Downlighter 9 V2	2x32W Recessed Dowlighter, HFDimmable Ballast	Garrabridge
LIG10780	DL2554 V2	Downlighter 10 V2	2x42W Recessed Dowlighter, HFDimmable Ballast	Garrabridge
LIG10781	PROFI1 V2	Profi 1 V2	1x54W Surface Luminaire, HF Ballast	Garrabridge
LIG10782	PROFI2 V2	Profi 2 V2	1x49W Surface Luminaire, HF Ballast	Garrabridge
LIG10783	PROFI3 V2	Profi 3 V2	1x80W Surface Luminaire, HF Ballast	Garrabridge
LIG10784	PROFI5 V2	Profi 5 V2	2x28W Surface Luminaire, HF Ballast	Garrabridge
LIG10785	PROFI6A V2	Profi 6 V2	2x54W Surface Luminaire, HF Ballast	Garrabridge
LIG10786	PROFI7 V2	Profi 7 V2	2x35W Surface Luminaire, HF Ballast	Garrabridge
LIG10787	PROFI8 V2	Profi 8 V2	2x49W Surface Luminaire, HF Ballast	Garrabridge
LIG10788	PROFI10 V2	Profi 10 V2	1x54W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10789	PROFI11 V2	Profi 11 V2	1x49W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10790	PROFI12 V2	profi 12 V2	1x80W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10791	PROFI14 V2	Profi 14 V2	2x28W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10792	PROFI15A V2	Profi 15 V2	2x54W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10793	PROFI16 V2	Profi 16 V2	2x35W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10794	PROFI17 V2	Profi 17 V2	2x49W Surface Luminaire, HF Ballast Dimmable	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10795	Solution 1 V2	Rec D/I Modular1 V2	SOLFR4x14W Recessed Modular D/I HF Ballast	Garrabridge
LIG10796	Solution 3 V2	Rec D/I Modular3 V2	SOLFR2x40W Recessed Modular D/I HF Ballast	Garrabridge
LIG10797	Solution 4 V2	Rec D/I Modular4 V2	SOLFR2x55W Recessed Modular D/I HF Ballast	Garrabridge
LIG10798	Solution 5 V2	Rec D/I Modular5 V2	SOLFR4x14W Recessed Modular D/I HF Ballast Dimmable	Garrabridge
LIG10799	Solution 7 V2	Rec D/I Modular7 V2	SOLFR2x40W Recessed Modular D/I HF Ballast Dimmable	Garrabridge
LIG10800	Solution 8 V2	Rec D/I Modular8 V2	SOLFR2x55W Recessed Modular D/I HF Ballast Dimmable	Garrabridge
LIG10801	Evolution4 V2	Rec D/I Modular12 V2	EVOR414 Recessed Modular D/I HF Ballast	Garrabridge
LIG10802	Evolution8 V2	Rec D/I Modular16 V2	EVOR240 Recessed Modular D/I HF Ballast	Garrabridge
LIG10803	Evolution9 V2	Rec D/I Modular17 V2	EVOR255 Recessed Modular D/I HF Ballast	Garrabridge
LIG10804	Evolution13 V2	Rec D/I Modular21 V2	EVOR414 Recessed Modular D/I HF Ballast Dimmable	Garrabridge
LIG10805	Evolution17 V2	Rec D/I Modular25 V2	EVOR240 Recessed Modular D/I HF Ballast Dimmable	Garrabridge
LIG10806	Evolution18 V2	Rec D/I Modular26 V2	EVOR255 Recessed Modular D/I HF Ballast Dimmable	Garrabridge
LIG10807	NEO QEL 21 V2	Rec D/I Modular35 V2	QELR2S1x40 Recessed Modular D/I Cat 2, HF Ballast	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10808	NEO QEL 22 V2	Rec D/I Modular36 V2	QELR2S2x40 Recessed Modular D/I Cat 2, HF Ballast	Garrabridge
LIG10809	NEO QEL 24 V2	Rec D/I Modular38 V2	QELR2S2x55 Recessed Modular D/I Cat 2, HF Ballast	Garrabridge
LIG10810	NEO QEL 28 V2	Rec D/I Modular42 V2	QELRT54x14 Recessed Modular D/I Cat 2, HF Ballast	Garrabridge
LIG10811	NEO QEL 29 V2	Rec D/I Modular43 V2	QELR2S1x40 Recessed Modular D/I Cat 2, HF Ballast Dimmable	Garrabridge
LIG10812	NEO QEL 210 V2	Rec D/I Modular44 V2	QELR2S2x40 Recessed Modular D/I Cat 2, HF Ballast Dimmable	Garrabridge
LIG10813	NEO QEL 212 V2	Rec D/I Modular46 V2	QELR2S2x55 Recessed Modular D/I Cat 2, HF Ballast Dimmable	Garrabridge
LIG10814	NEO QEL 216 V2	Rec D/I Modular50 V2	QELRT54x14 Recessed Modular D/I Cat 2, HF Ballast Dimmable	Garrabridge
LIG10815	DEXT52 V2	Rec T5 Modular2 V2	DXT5 3x24W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge
LIG10816	DEXT53 V2	Rec T5 Modular3 V2	DXT5 4x14W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge
LIG10817	DEXT54 V2	Rec T5 Modular4 V2	DXT5 4x24W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge
LIG10818	DEXT55 V2	Rec T5 Modular5 V2	DXT5 3x28W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge
LIG10819	DEXT56 V2	Rec T5 Modular6 V2	DXT5 3x54W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge
LIG10820	DEXT57 V2	Rec T5 Modular7 V2	DXT5 4x28W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge
LIG10821	DEXT59 V2	Rec T5 Modular9 V2	DXT5 2x28W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10822	DEXT510 V2	Rec T5 Modular10 V2	DXT5 2x54W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge
LIG10823	DEXT511 V2	Rec T5 Modular11 V2	DXT5 3x24W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10824	DEXT512 V2	Rec T5 Modular12 V2	DXT5 4x14W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10825	DEXT513 V2	Rec T5 Modular13 V2	DXT5 4x24W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10826	DEXT514 V2	Rec T5 Modular14 V2	DXT5 3x28W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10827	DEXT515 V2	Rec T5 Modular15 V2	DXT5 3x54W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10828	DEXT516 V2	Rec T5 Modular16 V2	DXT5 4x28W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10829	DEXT518 V2	Rec T5 Modular18 V2	DXT5 2x28W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10830	DEXT519 V2	Rec T5 Modular19 V2	DXT5 2x54W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10831	SIRA T51 V2	Surface1 V2	1x54W Surface Luminaire, HF Ballast	Garrabridge
LIG10832	SIRA T52 V2	Surface2 V2	1x49W Surface Luminaire, HF Ballast	Garrabridge
LIG10833	SIRA T53 V2	Surface3 V2	1x80W Surface Luminaire, HF Ballast	Garrabridge
LIG10834	SIRA T54 V2	Surface4 V2	2x28W Surface Luminaire, HF Ballast	Garrabridge
LIG10835	SIRA T55 V2	Surface5 V2	2x54W Surface Luminaire, HF Ballast	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10836	SIRA T59 V2	Surface9 V2	1x54W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10837	SIRA T510 V2	Surface10 V2	1x49W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10838	SIRA T511 V2	Surface11 V2	1x80W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10839	SIRA T512 V2	Surface12 V2	2x28W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10840	SIRA T513 V2	Surface13 V2	2x54W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10841	SIRA T516 V2	Surface16 V2	2x80W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10842	OMNI1 V2	Surface17 V2	1x54W Surface Luminaire, HF Ballast	Garrabridge
LIG10843	OMNI2 V2	Surface18 V2	1x49W Surface Luminaire, HF Ballast	Garrabridge
LIG10844	OMNI3 V2	Surface19 V2	2x28W Surface Luminaire, HF Ballast	Garrabridge
LIG10845	OMNI4 V2	Surface20 V2	2x28W Surface Luminaire, HF Ballast	Garrabridge
LIG10846	OMNI5 V2	Surface21 V2	2x54W Surface Luminaire, HF Ballast	Garrabridge
LIG10847	OMNI6 V2	Surface22 V2	2x80W Surface Luminaire, HF Ballast	Garrabridge
LIG10848	OMNI8 V2	Surface24 V2	3x28W Surface Luminaire, HF Ballast	Garrabridge
LIG10849	OMNI9 V2	Surface25 V2	4x28W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10850	OMNI10 V2	Surface26 V2	1x54W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10851	OMNI11 V2	Surface27 V2	1x49W Surface Luminaire, HF Ballast Dimmable	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10852	OMNI12 V2	Surface28 V2	2x28W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10853	OMNI13 V2	Surface29 V2	2x54W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10854	OMNI14 V2	Surface30 V2	2x35W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10855	OMNI15 V2	Surface31 V2	2x49W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10856	OMNI17 V2	Surface33 V2	3x28W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10857	OMNI18 V2	Surface34 V2	4x28W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10858	Task1 V2	Batten1 V2	TSK154	Garrabridge
LIG10859	Task2 V2	Batten2 V2	TSK149	Garrabridge
LIG10860	Task3 V2	Batten3 V2	TSK180	Garrabridge
LIG10861	Task4 V2	Batten4 V2	TSK221	Garrabridge
LIG10862	Task5 V2	Batten5 V2	TSK228	Garrabridge
LIG10863	Task6 V2	Batten6 V2	TSK239	Garrabridge
LIG10864	Task7 V2	Batten7 V2	TSK254	Garrabridge
LIG10865	Task8 V2	Batten8 V2	TSK235	Garrabridge
LIG10866	Task9 V2	Batten9 V2	TSK249	Garrabridge
LIG10867	Task10 V2	Batten10 V2	TSK280	Garrabridge
LIG10868	Graduate1 V2	Surface 35 V2	1x58W Surface, Diffuser, HF Ballast	Garrabridge
LIG10869	Graduate3 V2	Surface 37 V2	1x49W Surface, Diffuser, HF Ballast	Garrabridge
LIG10870	Graduate4 V2	Surface 38 V2	2x36W Surface, Diffuser, HF Ballast	Garrabridge
LIG10871	Graduate5 V2	Surface 39 V2	2x58W Surface, Diffuser, HF Ballast	Garrabridge
LIG10872	Graduate10 V2	Surface 44 V2	1x58W Surface, Diffuser, HF Ballast Dimmable	Garrabridge
LIG10873	Graduate11 V2	Surface 45 V2	1x54W Surface, Diffuser, HF Ballast Dimmable	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10874	Graduate12 V2	Surface 46 V2	1x49W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10875	Graduate13 V2	Surface 47 V2	2x36W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10876	Graduate14 V2	Surface 48 V2	2x58W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10877	Scholar1 V2	Surface 53 V2	1x58W Surface, Diffuser,HF Ballast	Garrabridge
LIG10878	Scholar3 V2	Surface 55 V2	1x49W Surface, Diffuser,HF Ballast	Garrabridge
LIG10879	Scholar4 V2	Surface 56 V2	2x36W Surface, Diffuser,HF Ballast	Garrabridge
LIG10880	Scholar5 V2	Surface 57 V2	2x58W Surface, Diffuser,HF Ballast	Garrabridge
LIG10881	Scholar10 V2	Surface 62 V2	1x58W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10882	Scholar11 V2	Surface 63 V2	1x54W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10883	Scholar12 V2	Surface 64 V2	1x49W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10884	Scholar13 V2	Surface 65 V2	2x36W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10885	Scholar14 V2	Surface 66 V2	2x58W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10886	Capo1 V2	Pendant1 V2	CAPT 57W Pendant Luminaire, HF Ballast	Garrabridge
LIG10887	Capo2 V2	Pendant2 V2	CAPT 57W Pendant Luminaire, HF Ballast Dimmable	Garrabridge
LIG10888	Blade1 V2	Wall 1 V2	BDE 1X55W Wall Mounted Luminaire, HF Ballast	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10889	Blade2 V2	Wall 2 V2	BDE 1X80W Wall Mounted Luminaire, HF Ballast	Garrabridge
LIG10890	Blade3 V2	Wall 3 V2	BDE 1X55W Wall Mounted Luminaire, HF Ballast Dimmable	Garrabridge
LIG10891	Blade4 V2	Wall 4 V2	BDE 1X80W Wall Mounted Luminaire, HF Ballast Dimmable	Garrabridge
LIG10892	PROTEC1 V2	Downlighter11 V2	1x42W Recessed Downlighter, HF Ballast	Garrabridge
LIG10893	PROTEC4 V2	Downlighter14 V2	2x32W Recessed Downlighter, HF Ballast	Garrabridge
LIG10894	PROTEC5 V2	Downlighter15 V2	2x42W Recessed Downlighter, HF Ballast	Garrabridge
LIG10895	PROTEC6 V2	Downlighter16 V2	1x42W Recessed Downlighter, HFDimmable Ballast	Garrabridge
LIG10896	PROTEC9 V2	Downlighter19 V2	2x32W Recessed Downlighter, HFDimmable Ballast	Garrabridge
LIG10897	PROTEC10 V2	Downlighter20 V2	2x42W Recessed Downlighter, HFDimmable Ballast	Garrabridge
LIG10898	HERALD T52 V2	High Rack2 V2	HERT5 3X49 High Rack Luminaire, HF Ballast	Garrabridge
LIG10899	HERALD T53 V2	High Rack3 V2	HERT5 3X80 High Rack Luminaire, HF Ballast	Garrabridge
LIG10900	HERALD T54 V2	High Rack4 V2	HERT5 4X54 High Rack Luminaire, HF Ballast	Garrabridge
LIG10901	HERALD T55 V2	High Rack5 V2	HERT5 4X49 High Rack Luminaire, HF Ballast	Garrabridge
LIG10902	HERALD T56 V2	High Rack6 V2	HERT5 4X80 High Rack Luminaire, HF Ballast	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10903	HERALD T57 V2	High Rack7 V2	HERT5 3X54 High Rack Luminaire, HF Ballast Dimmable	Garrabridge
LIG10904	HERALD T58 V2	High Rack8 V2	HERT5 3X49 High Rack Luminaire, HF Ballast Dimmable	Garrabridge
LIG10905	HERALD T59 V2	High Rack9 V2	HERT5 3X80 High Rack Luminaire, HF Ballast Dimmable	Garrabridge
LIG10906	HERALD T510 V2	High Rack10 V2	HERT5 4X54 High Rack Luminaire, HF Ballast Dimmable	Garrabridge
LIG10907	HERALD T511 V2	High Rack11 V2	HERT5 4X49 High Rack Luminaire, HF Ballast Dimmable	Garrabridge
LIG10908	HERALD T512 V2	High Rack12 V2	HERT5 4X80 High Rack Luminaire, HF Ballast Dimmable	Garrabridge
LIG10909	HERALD 1 V2	High Rack13 V2	HER 3x55 High Rack Luminaire, HF Ballast	Garrabridge
LIG10910	HERALD 2 V2	High Rack14 V2	HER 4x55 High Rack Luminaire, HF Ballast	Garrabridge
LIG10911	HERALD 3 V2	High Rack15 V2	HER 6x55 High Rack Luminaire, HF Ballast	Garrabridge
LIG10912	HERALD 4 V2	High Rack16 V2	HER 8x55 High Rack Luminaire, HF Ballast	Garrabridge
LIG10913	HERALD 5 V2	High Rack17 V2	HER 3x55 High Rack Luminaire, HF Ballast Dimmable	Garrabridge
LIG10914	HERALD 6 V2	High Rack18 V2	HER 4x55 High Rack Luminaire, HF Ballast Dimmable	Garrabridge
LIG10915	HERALD 7 V2	High Rack19 V2	HER 6x55 High Rack Luminaire, HF Ballast Dimmable	Garrabridge
LIG10916	HERALD 8 V2	High Rack20 V2	HER 8x55 High Rack Luminaire, HF Ballast Dimmable	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10917	Lux1 V2	IP65 W'Proof1 V2	1x58W Surface, Diffuser,HF Ballast	Garrabridge
LIG10918	Lux4 V2	IP65 W'Proof4 V2	2x58W Surface, Diffuser,HF Ballast	Garrabridge
LIG10919	Lux5 V2	IP65 W'Proof5 V2	2x28W Surface, Diffuser,HF Ballast	Garrabridge
LIG10920	Lux6 V2	IP65 W'Proof6 V2	2x35W Surface, Diffuser,HF Ballast	Garrabridge
LIG10921	Lux7 V2	IP65 W'Proof7 V2	2x49W Surface, Diffuser,HF Ballast	Garrabridge
LIG10922	Lux8 V2	IP65 W'Proof8 V2	1x58W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10923	Lux11 V2	IP65 W'Proof11 V2	2x58W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10924	Lux12 V2	IP65 W'Proof12 V2	2x28W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10925	Lux13 V2	IP65 W'Proof13 V2	2x35W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10926	Lux14 V2	IP65 W'Proof14 V2	2x49W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG10927	IMP5 V2	Cleanroom 5 V2	IMPR 1232 2x36W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10928	IMP6 V2	Cleanroom 6 V2	IMPR T5228 2X28W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10929	IMP7 V2	Cleanroom 7 V2	IMPR T5414 4x14W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10930	IMP8 V2	Cleanroom 8 V2	IMPR T5324 3x24W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10931	IMP9 V2	Cleanroom 9 V2	IMPR T5424 4x24W Recessed Cleanrooms, HF Ballast	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10932	IMP10 V2	Cleanroom 10 V2	IMPR T5328 3x28W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10933	IMP11 V2	Cleanroom 11 V2	IMPR T5428 4x28W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10934	IMP12 V2	Cleanroom 12 V2	IMPR T5354 3x54W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10935	IMP18 V2	Cleanroom 18 V2	IMPR 1232 2x36W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG10936	IMP19 V2	Cleanroom 19 V2	IMPR T5228 2X28W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG10937	IMP20 V2	Cleanroom 20 V2	IMPR T5414 4x14W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG10938	IMP21 V2	Cleanroom 21 V2	IMPR T5324 3x24W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG10939	IMP22 V2	Cleanroom 22 V2	IMPR T5424 4x24W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG10940	IMP23 V2	Cleanroom 23 V2	IMPR T5328 3x28W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG10941	IMP24 V2	Cleanroom 24 V2	IMPR T5428 4x28W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG10942	IMP25 V2	Cleanroom 25 V2	IMPR T5354 3x54W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG10943	PRO SPORT1 V2	Sports 1 V2	PRO 3x49W Surface Sports Hall Luminaire, HF Ballast	Garrabridge
LIG10944	PRO SPORT2 V2	Sports 2 V2	PRO 3x80W Surface Sports Hall Luminaire, HF Ballast	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10945	PRO SPORT3 V2	Sports 3 V2	PRO 4x49W Surface Sports Hall Luminaire, HF Ballast	Garrabridge
LIG10946	PRO SPORT4 V2	Sports 4 V2	PRO 4x80W Surface Sports Hall Luminaire, HF Ballast	Garrabridge
LIG10947	PRO SPORT5 V2	Sports 5 V2	PRO 3x49W Surface Sports Hall Luminaire, HF Ballast Dimmable	Garrabridge
LIG10948	PRO SPORT6 V2	Sports 6 V2	PRO 3x80W Surface Sports Hall Luminaire, HF Ballast Dimmable	Garrabridge
LIG10949	PRO SPORT7 V2	Sports 7 V2	PRO 4x49W Surface Sports Hall Luminaire, HF Ballast Dimmable	Garrabridge
LIG10950	PRO SPORT8 V2	Sports 8 V2	PRO 4x80W Surface Sports Hall Luminaire, HF Ballast Dimmable	Garrabridge
LIG10951	Avalon1 V2	Wallpack1 V2	AVAWPT 42W IP65 Wall Pack	Garrabridge
LIG10952	RAXT1 V2	Rec ASYM1 V2	1X55W Recessed Asymmetric Luminaire, HF Ballast	Garrabridge
LIG10953	RAXT2 V2	Rec ASYM2 V2	2X55W Recessed Asymmetric Luminaire, HF Ballast	Garrabridge
LIG10954	RAXT3 V2	Rec ASYM3 V2	1X28W Recessed Asymmetric Luminaire, HF Ballast	Garrabridge
LIG10955	CLASSEO1 V2	Rec T5 Modular20 V2	CLASSEO 3x24W Recessed Modular, Louvre/TPA, HF Ballast	Garrabridge
LIG10956	CLASSEO2 V2	Rec T5 Modular21 V2	CLASSEO 4x14W Recessed Modular, Louvre/TPA, HF Ballast	Garrabridge
LIG10957	CLASSEO3 V2	Rec T5 Modular22 V2	CLASSEO 4x24W Recessed Modular, Louvre/TPA, HF Ballast	Garrabridge
LIG10958	CLASSEO4 V2	Rec T5 Modular23 V2	CLASSEO 3x28W Recessed Modular, Louvre/TPA, HF Ballast	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10959	CLASSE05 V2	Rec T5 Modular24 V2	CLASSEO 3x54W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge
LIG10960	CLASSE06 V2	Rec T5 Modular25 V2	CLASSEO 4x28W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge
LIG10961	CLASSE08 V2	Rec T5 Modular27 V2	CLASSEO 2x28W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge
LIG10962	CLASSE09 V2	Rec T5 Modular28 V2	CLASSEO 2x54W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge
LIG10963	CLASSE010 V2	Rec T5 Modular29 V2	CLASSEO 3x24W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10964	CLASSE011 V2	Rec T5 Modular30 V2	CLASSEO 4x14W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10965	CLASSE012 V2	Rec T5 Modular31 V2	CLASSEO 4x24W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10966	CLASSE013 V2	Rec T5 Modular32 V2	CLASSEO 3x28W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10967	CLASSE014 V2	Rec T5 Modular33 V2	CLASSEO 3x54W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10968	CLASSE015 V2	Rec T5 Modular34 V2	CLASSEO 4x28W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10969	CLASSE017 V2	Rec T5 Modular36 V2	CLASSEO 2x28W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10970	CLASSE018 V2	Rec T5 Modular37 V2	CLASSEO 2x54W Recessed Modular, Louvre/ TPA, HF Ballast Dimmable	Garrabridge
LIG10971	EDL5 V2	Rec Modular13 V2	EDL 2x36W Recessed Modular, Louvre/ TPA, HF Ballast	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10972	EDL10 V2	Rec Modular18 V2	EDL 2x36W Recessed Modular, Louvre/TPA, HF Ballast Dimmable	Garrabridge
LIG10973	LINEO1 V2	Surface71 V2	1x54W Surface Luminaire, HF Ballast	Garrabridge
LIG10974	LINEO2 V2	Surface72 V2	1x49W Surface Luminaire, HF Ballast	Garrabridge
LIG10975	LINEO3 V2	Surface73 V2	2x28W Surface Luminaire, HF Ballast	Garrabridge
LIG10976	LINEO4 V2	Surface74 V2	2x54W Surface Luminaire, HF Ballast	Garrabridge
LIG10977	LINEO5 V2	Surface75 V2	2x35W Surface Luminaire, HF Ballast	Garrabridge
LIG10978	LINEO6 V2	Surface76 V2	2x49W Surface Luminaire, HF Ballast	Garrabridge
LIG10979	LINEO8 V2	Surface78 V2	3x28W Surface Luminaire, HF Ballast	Garrabridge
LIG10980	LINEO9 V2	Surface79 V2	4x28W Surface Luminaire, HF Ballast	Garrabridge
LIG10981	LINEO10 V2	Surface80 V2	1x54W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10982	LINEO11 V2	Surface81 V2	1x49W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10983	LINEO12 V2	Surface82 V2	2x28W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10984	LINEO13 V2	Surface83 V2	2x54W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10985	LINEO14 V2	Surface84 V2	2x35W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10986	LINEO15 V2	Surface85 V2	2x49W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10987	LINEO17 V2	Surface87 V2	3x28W Surface Luminaire, HF Ballast Dimmable	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG10988	LINEO18 V2	Surface88 V2	4x28W Surface Luminaire, HF Ballast Dimmable	Garrabridge
LIG10989	SBE5 V2	Cleanroom31 V2	SBE 2x36W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10990	SBE6 V2	Cleanroom32 V2	SBE 2X28W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10991	SBE7 V2	Cleanroom33 V2	SBE4x14W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10992	SBE8 V2	Cleanroom34 V2	SBE 3x24W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10993	SBE9 V2	Cleanroom35 V2	SBE4x24W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10994	SBE10 V2	Cleanroom36 V2	SBE 3x28W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10995	SBE11 V2	Cleanroom37 V2	SBE 4x28W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10996	SBE12 V2	Cleanroom38 V2	SBE 3x54W Recessed Cleanrooms, HF Ballast	Garrabridge
LIG10997	SBE19 V2	Cleanroom45 V2	SBE 2X28W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG10998	SBE20 V2	Cleanroom46 V2	SBE4x14W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG10999	SBE21 V2	Cleanroom47 V2	SBE 3x24W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG11000	SBE22 V2	Cleanroom48 V2	SBE4x24W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG11001	SBE23 V2	Cleanroom49 V2	SBE 3x28W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG11002	SBE24 V2	Cleanroom50 V2	SBE 4x28W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG11003	SBE25 V2	Cleanroom51 V2	SBE 3x54W Recessed Cleanrooms, HF Ballast Dimmable	Garrabridge
LIG11004	ASYM1 V2	Rec ASYM5 V2	1X55W Recessed Asymmetric Luminaire, HF Ballast	Garrabridge
LIG11005	ASYM2 V2	Rec ASYM6 V2	2X55W Recessed Asymmetric Luminaire, HF Ballast	Garrabridge
LIG11006	ASYM3 V2	Rec ASYM7 V2	2X28W Recessed Asymmetric Luminaire, HF Ballast	Garrabridge
LIG11007	T7DDM1 V2	Downlighter 21 V2	1x42W Recessed Downlighter, HF Ballast	Garrabridge
LIG11008	T7DDM4 V2	Downlighter 24 V2	2x32W Recessed Downlighter, HF Ballast	Garrabridge
LIG11009	T7DDM5 V2	Downlighter 25 V2	2x42W Recessed Downlighter, HF Ballast	Garrabridge
LIG11010	T7DDM6 V2	Downlighter 26 V2	1x42W Recessed Downlighter, HFDimmable Ballast	Garrabridge
LIG11011	T7DDM9 V2	Downlighter 29 V2	2x32W Recessed Downlighter, HFDimmable Ballast	Garrabridge
LIG11012	T7DDM10 V2	Downlighter 30 V2	2x42W Recessed Downlighter, HFDimmable Ballast	Garrabridge
LIG11013	Atlanta1 V2	Car Park1 V2	2X55W Surface ip65 Car Park Luminaire, HF Ballast	Garrabridge
LIG11014	Prismatron1 V2	High Bay1 V2	320W MH Dimmable High Bay	Garrabridge
LIG11015	Prismatron2 V2	High Bay2 V2	350W MH Dimmable High Bay	Garrabridge
LIG11016	Prismatron3 V2	High Bay3 V2	400W MH Dimmable High Bay	Garrabridge

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LIG11017	Schuch1 V2	IP65 W'Proof15 V2	2x58W Surface, Diffuser,HF Ballast	Garrabridge
LIG11018	LILI1 V2	Surface 89 V2	2x36W Surface, Diffuser,HF Ballast	Garrabridge
LIG11019	LILI2 V2	Surface 90 V2	2x58W Surface, Diffuser,HF Ballast	Garrabridge
LIG11020	LILI7 V2	Surface 95 V2	2x36W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG11021	LILI8 V2	Surface 96 V2	2x58W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG11022	Futurix1 V2	IP65 W'Proof16 V2	1x58W Surface, Diffuser,HF Ballast	Garrabridge
LIG11023	Futurix4 V2	IP65 W'Proof19 V2	2x58W Surface, Diffuser,HF Ballast	Garrabridge
LIG11024	Futurix5 V2	IP65 W'Proof20 V2	2x28W Surface, Diffuser,HF Ballast	Garrabridge
LIG11025	Futurix6 V2	IP65 W'Proof21 V2	2x35W Surface, Diffuser,HF Ballast	Garrabridge
LIG11026	Futurix7 V2	IP65 W'Proof22 V2	2x49W Surface, Diffuser,HF Ballast	Garrabridge
LIG11027	Futurix8 V2	IP65 W'Proof23 V2	1x58W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG11028	Futurix11 V2	IP65 W'Proof26 V2	2x58W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG11029	Futurix12 V2	IP65 W'Proof27 V2	2x28W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG11030	Futurix13 V2	IP65 W'Proof28 V2	2x35W Surface, Diffuser,HF Ballast Dimmable	Garrabridge
LIG11031	Futurix14 V2	IP65 W'Proof29 V2	2x49W Surface, Diffuser,HF Ballast Dimmable	Garrabridge

7. Part 4 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LCO30260	PD-C360i	Ceiling mounting PD-C series	Compact Ceiling mounted presence detectors for recessed or surface mounting with ranges of 6 to 24 m in diameter. The following output options, switched, dimmed, 2channel, dry contact, 24v, KNX or DALI	ESYLUX
LCO30261	PD 360i	Ceiling mounting PD/PDE series	Remotely controlled ceiling mounting presence detector with 360° viewing distance for flush or surface mounting. The following output options switched dimmed, 2 channel, 24v and KNX	ESYLUX
LCO30262	PD 180i/R	WALL-MOUNTED PRESENCE DETECTOR	Presence detector with 180° viewing distance for wall mounting Automatic light control depending on presence and daylight	ESYLUX
LCO30264	MD 360	Indoor ceiling detectors MD/MDE series	Ceiling mounting motion detector for recessed ceiling, recessed or surface mounting with ranges of 6 to 24 m in diameter	ESYLUX
LCO30268	MD 180i	Indoor wall detectors	Remotely controlled wall motion detector from the MD 180 series with 180° viewing distance in Triac and relay versions and in-built acoustics sensor	ESYLUX

Aca Code	Product Code	Product Name	Short Description	Manufacturer
LCO30270	MD	Outdoor MD series	MD series motion detector with 120° or 200° viewing distance in black and white	ESYLUX
LCO30271	RCi	Outdoor RCi series	Remotely controlled motion detectors from the RCi series with 130°, 230° or 280° sensing range with 360° anti-creep protection	ESYLUX
LCO30272	HFD 360	HF Detectors	Wall- and ceiling-mounted motion detectors with high frequency technology	ESYLUX
LCO30742	MD-C360i	Interior ceiling detector MD-C series	Compact ceiling mounting motion detector for recessed ceiling, recessed or surface mounting with ranges of 6, 8 to 24 m in diameter	ESYLUX

”

8. Part 5 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
BEM13345	SiCA Platform	SiCA Platform	Sensor-to-database system to monitor energy, temperature, etc. and relay it wirelessly to a database. Software enables users to display data and issue commands.	Episensor Limited
BEM29972	Exaquantum	Exaquantum	Exaquantum is a comprehensive process industries Building Information Management System.	Yokogawa Europe Branches B.V.

”

9. Part 6 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
ESE30183	LKN:T2005S0001 IE	Primergy TX200 S5	TX200 S5, 2x Intel 5570 CPU, 96GB DDR3 Memory Tower Server	Fujitsu
ESE30756	DL2170hG6 5520	DL2170hG6 5520	DL2 170h G6 2 Intel W5520 processor, 64 GB DDR2 Memory, Rack server	Hewlett Packard
ESE30757	DL2170hG6 5530	DL2170hG6 5530	DL2 170h G6 2 Intel W5530 processor, 64 GB DDR2 Memory, Rack server	Hewlett Packard
ESE30763	DL380G6 5530	DL380G6 5530	DL 380 G6 2 Intel 5530 processor, 144 GB DDR3 Memory, Rack server	Hewlett Packard
ESE30769	SL2x170z	SL2x170z	SL2x170z G6 2 Intel 5530 processor	Hewlett Packard

”.

10. Part 6 of Schedule 2 of the Principal Order is amended by deleting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
ESE24774	DL380 G6 5520	DL380 G6 5520	DL 380 G6 2 Intel 5520 processor, 144 GB DDR3 Memory, Rack server	Hewlett Packard
ESE24772	DL360 G6 5570	DL360 G6 5570	DL 320 G6 2 Intel X5570 processor, 144 GB DDR3 Memory, Rack server	Hewlett Packard
ESE24788	484184-B21 VS4- ENT/VI3-ENT	VS4-ENT/VI3- ENT DL360 G6	Hewlett Packard 2 Intel X55xx processor, 144 GB DDR3 Memory, Rack Server and VS4- ENT/PL or VI3 equivalent (incorporating DPM, VMotion and DRS)	VMware International Limited

Aca Code	Product Code	Product Name	Short Description	Manufacturer
ESE24792	366701-001 VS4-ENT/VI3-ENT	VS4-ENT/VI3-ENT DL380 G6	Hewlett Packard 2 Intel X55xx processor, 144 GB DDR3 Memory, Rack Server and VS4-ENT/PL or VI3 equivalent (incorporating DPM, VMotion and DRS)	VMware International Limited
ESE29337	R710X5570	R710-X5570	PowerEdge R710	Dell

”.

11. Part 7 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
EST29265	Dell EMC CX4-120	Dell EMC CX4-120	Dell EMC CX4-120 Storage Processor Enclosure	Dell
EST29266	Dell EMC CX4-240	Dell EMC CX4-240	Dell EMC CX4-240 Storage Processor Enclosure	Dell
EST29267	Dell EMC CX4-480	Dell EMC CX4-480	Dell EMC CX4-480 Storage Processor Enclosure	Dell
EST29268	Dell EMC CX4-960	Dell EMC CX4-960	Dell EMC CX4-960 Storage Processor Enclosure	Dell
EST30315	FAS2020	FAS2020	Storage controller	NetApp
EST30316	FAS2040	FAS2040	Storage controller	NetApp
EST30317	FAS2050	FAS2050	Storage controller	NetApp
EST30318	FAS3140	FAS3140	Storage controller	NetApp
EST30319	FAS3160	FAS3160	Storage controller	NetApp
EST30320	FAS3170	FAS3170	Storage controller	NetApp
EST30321	FAS6040	FAS6040	Storage controller	NetApp
EST30322	FAS6080	FAS6080	Storage controller	NetApp

Aca Code	Product Code	Product Name	Short Description	Manufacturer
EST30337	GxF	SATABeast	4u AutoMAID Enterprise Class RAID Array supporting up to 42 drives — iSCSI & FC Connectivity, Single or Dual Controller inc. Cache Battery Backup — 500GB, 750Gb, 1TB & 2TB SATA Drive Support	Nexsan Technologies
EST30338	JxF	SASBeast	4u AutoMAID Enterprise Class RAID Array supporting up to 42 drives — iSCSI & FC Connectivity, Single or Dual Controller inc. Cache Battery Backup — 146GB, 300GB, 450GB & 600GB SAS Drive Support	Nexsan Technologies
EST30339	FxF	SATABoy	3u AutoMAID Enterprise Class RAID Array supporting up to 14 drives — iSCSI & FC Connectivity, Single or Dual Controller inc. Cache Battery Backup — 500GB, 750Gb, 1TB & 2TB SATA Drive Support	Nexsan Technologies
EST30340	HxF	SASBoy	3u AutoMAID Enterprise Class RAID Array supporting up to 14 drives — iSCSI & FC Connectivity, Single or Dual Controller inc. Cache Battery Backup — 146GB, 300GB, 450GB & 600GB SAS Drive Support	Nexsan Technologies

Aca Code	Product Code	Product Name	Short Description	Manufacturer
EST30341	iS-200i	iSeries 200i	1u Enterprise Class, iSCSI Storage Virtualization Appliance — providing Snapshots, Replication, Resilience, Horizontal & Vertical Scalability, Mixed SAS and/or SATA Drives & AutoMAID support	Nexsan Technologies
EST30342	iS-400i	iSeries 400i	1u Enterprise Class, iSCSI Storage Virtualization Appliance — providing Snapshots, Replication, Resilience, Horizontal & Vertical Scalability, Mixed SAS and/or SATA Drives & AutoMAID support	Nexsan Technologies

”.

12. Part 8 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
PCO28544	deltaclima CW 110.3 CWD 11.8 R9	deltaclima CW 110.3	41.6kW Downflow CRAH unit. Underfloor EC fan. Fan number: 1	Weiss
PCO28545	deltaclima CW 220.3 CWD 18.8 R9	deltaclima CW 220.3	82.9kW Downflow CRAH unit. Underfloor EC fan. Fan number: 2	Weiss
PCO28546	deltaclima CW 330.3 CWD 26.8 R9	deltaclima CW 330.3	124.1kW Downflow CRAH unit. Underfloor EC fan. Fan number: 3	Weiss

Aca Code	Product Code	Product Name	Short Description	Manufacturer
PCO28547	deltaclima CW2 90.3 CW2D 11.8 R9	deltaclima CW2 90.3	30.8kW Dual Coil Downflow CRAH unit. Underfloor EC fan. Fan number: 1	Weiss
PCO28548	deltaclima CW2 180.3 CW2D 18.8 R9	deltaclima CW2 180.3	62.6kW Dual Coil Downflow CRAH unit. Underfloor EC fan. Fan number: 2	Weiss
PCO28549	deltaclima CW2 280.3 CW2D 26.8 R9	deltaclima CW2 280.3	98.4kW Dual Coil Downflow CRAH unit. Underfloor EC fan. Fan number: 3	Weiss
PCO28550	deltaclima DX 60.3 DXD 11.8 R9	deltaclima DX 60.3	18.5 kW Downflow CRAC unit. Underfloor EC fan. Fan number: 1. Compressor number: 1	Weiss
PCO28551	deltaclima DX 85.3 DXD 11.8 R9	deltaclima DX 85.3	29.8 kW Downflow CRAC unit. Underfloor EC fan. Fan number: 2. Compressor number: 2	Weiss

”.

13. Part 11 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
PMA29974	PR300	PR300 Power Meter	PR300 is a panel-mounted meter designed to meet two user needs: a power facility meter and a meter for monitoring energy consumption.	Yokogawa Europe Branches B.V.
PMA30054	NW004	NoWatt	NoWatt's multi-channel electricity, gas, water, and oil tracking system sends sub-second readings to a central database where we store, analyse, and deliver energy consumption data via the web.	NoWatt Ltd.

Aca Code	Product Code	Product Name	Short Description	Manufacturer
PMA30172	PM3003V-401	Avocent Power Management Distribution Units	Avocent PM 3000 PDU 0U Vertical 1-ph 32A 220/230/240V with IEC 309 32A, 21 C13 & 3 C19 ports	Avocent International
PMA30173	PM3004H-401	Avocent Power Management Distribution Units (PM PDUs)	Avocent PM 3000 PDU 1U Horizontal 3-ph 16A 380/400/415V, fixed cord with IEC 309 16A, 6 C19 ports	Avocent International

”.

14. Part 14 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
WTU13362	GWUK-11	Gaia-Wind 11kW	an 11.2kW induction wind turbine from Denmark	Gaia-Wind
WTU28875	Alize	Alize	small wind turbine 7 m diameter for on or off grid	Fortis Wind Energy Ireland
WTU29248	Montana	Montana	Wind turbine 5 m span 6 kW	Fortis Wind Energy Ireland
WTU30385	WTN 250	Wind Technik Nord 250	Wind turbine rated at 250 kW	Wind Technik Nord GMBH

”.

15. Part 18 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
PSY30301	HS-PXL 195	Heckert Solar 1	Polycrystalline max power 195 watts	Heckert Solar
PSY30313	HS-PXL 200	Heckert Solar 2	Polycrystalline max power 200 watts	Heckert Solar
PSY30314	HS-PXL 210	Heckert Solar 4	Polycrystalline max power 210 watts	Heckert Solar
PSY30326	HS-PXL 215	Heckert Solar 5	Polycrystalline max power 215 watts	Heckert Solar

Aca Code	Product Code	Product Name	Short Description	Manufacturer
PSY30327	HS-PXL 220	Heckert Solar 6	Polycrystalline max power 220 watts	Heckert Solar
PSY30328	HS-PXL 205	Heckert Solar 3	Polycrystalline max power 205 watts	Heckert Solar
PSY30329	HS-MXL 200	Heckert Solar 7	Monocrystalline max power 200 watts	Heckert Solar
PSY30330	HS-MXL 205	Heckert Solar 8	Monocrystalline max power 205 watts	Heckert Solar
PSY30331	HS-MXL 210	Heckert Solar 9	Monocrystalline max power 210	Heckert Solar
PSY30332	HS-MXL 215	Heckert Solar 10	Monocrystalline max power 215	Heckert Solar
PSY30333	HS-MXL 220	Heckert Solar 11	Monocrystalline max power 220 watts	Heckert Solar
PSY30334	HS-PL 130	Heckert Solar 12	Polycrystalline max power 130 watts	Heckert Solar
PSY30335	HS-PL 135	Heckert Solar 13	Polycrystalline max power 135 watts	Heckert Solar
PSY30336	HS-PL 140	Heckert Solar 14	Polycrystalline max power 140 watts	Heckert Solar

”.

16. Part 19 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
BCO29975	TDLS200	TDLS200 Tunable Diode Laser	TDLS measures gas concentrations inside the process, using a tunable diode laser. This technology can optimize existing control applications.	Yokogawa Europe Branches B.V.

Aca Code	Product Code	Product Name	Short Description	Manufacturer
BCO29976	ZR22G, ZR402G	ZR22G,ZR402G Zirconia Oxygen Analyser	Yokogawa's zirconia oxygen analyzers are used for combustion monitoring and control in a wide variety of applications and help industries to make considerable achievements in energy saving.	Yokogawa Europe Branches B.V.
BCO29977	ZR202G	ZR202G Zirconia Oxugen Analyser	Yokogawa's zirconia oxygen analyzers are used for combustion monitoring and control in a wide variety of applications and help industries to save energy.	Yokogawa Europe Branches B.V.
BCO29979	ZR22S, ZR202S	ZR22S, ZR202S Explosionproof Zirconia Oxygen Analyzers	Yokogawa's zirconia oxygen analyzers are used for combustion monitoring and control in a wide variety of applications and help industries to make considerable achievements in energy saving.	Yokogawa Europe Branches B.V.
BCO29980	MW100	MW100 Data Acquisition Unit	High performance industrial-grade data acquisition systems with wide-ranging application support high- speed, high- withstand- voltage, high- reliability, multi- channel data acquisition system	Yokogawa Europe Branches B.V.
BCO29981	DX Advanced DX1000/DX2000	DX Advanced DX1000/DX2000	Paperless videographic recorders.	Yokogawa Europe Branches B.V.

17. Part 21 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
SSY30022	SC450	SC450 4 wire conductivity transmitter	The standard SC450 covers almost all Conductivity Applications including all special software functions in the standard analyzers to reduce the number of configurations.	Yokogawa Europe Branches B.V.
SSY30023	ISC450	ISC450 Inductive Conductivity Analyser	The ISC450 is designed to measure Specific Conductivity by using the Inductive Conductivity method.	Yokogawa Europe Branches B.V.

”.

18. Part 24 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
PUM30485	2026858	BL 40/170-1.1/4	Single Stage, End Suction, 4 Pole, 400V	Wilo SE
PUM30495	2052879	BL 50/220-2,2/4	Single Stage, End Suction, 4 Pole, 400V	Wilo SE
PUM30497	2052875	BL 50/250-3/4	Single Stage, End Suction, 4 Pole, 400V	Wilo SE
PUM30500	2026589	BL 65/150-1.1/4	Single Stage, End Suction, 4 Pole, 400V	Wilo SE
PUM30501	2026588	BL 65/160-1.5/4	Single Stage, End Suction, 4 Pole, 400V	Wilo SE
PUM30502	2025860	BL 65/170-2.2/4	Single Stage, End Suction, 4 Pole, 400V	Wilo SE
PUM30506	2026591	BL 80/150-1.5/4	Single Stage, End Suction, 4 Pole, 400V	Wilo SE
PUM30507	2026590	BL 80/160-2.2/4	Single Stage, End Suction, 4 Pole, 400V	Wilo SE

Aca Code	Product Code	Product Name	Short Description	Manufacturer
PUM30508	2025861	BL 80/170-3/4	Single Stage, End Suction, 4 Pole, 400V	Wilo SE
PUM30537	2052873	BL 40/140-3/2	Single Stage, End Suction, 2 Pole, 400V	Wilo SE
PUM30538	002 033 959	BL 40/140-4/2	Single Stage, End Suction, 2 Pole, 400V	Wilo SE
PUM30547	2052870	BL 40/270-22/2	Single Stage, End Suction, 2 Pole, 400V	Wilo SE
PUM30554	002 031 997	BL 50/140-7.5/2	Single Stage, End Suction, 2 Pole, 400V	Wilo SE
PUM30565	2052874	BL 50/260-30/2	Single Stage, End Suction, 2 Pole, 400V	Wilo SE
PUM30567	002 031 691	BL 65/120-4/2	Single Stage, End Suction, 2 Pole, 400V	Wilo SE
PUM30572	2025822	BL 65/170-15/2	Single Stage, End Suction, 2 Pole, 400V	Wilo SE
PUM30578	2026701	BL 80/145-11/2	Single Stage, End Suction, 2 Pole, 400V	Wilo SE
PUM30579	2026567	BL 80/150-15/2	Single Stage, End Suction, 2 Pole, 400V	Wilo SE
PUM30595	4024695	MVI 404 DM	Vertical Multistage, In Line Pump, 400V	Wilo SE
PUM30602	4024718	MVI 414 DM	Vertical Multistage, In Line Pump, 400V	Wilo SE
PUM30603	4024719	MVI 417 DM	Vertical Multistage, In Line Pump, 400V	Wilo SE
PUM30604	4024720	MVI 419 DM	Vertical Multistage, In Line Pump, 400V	Wilo SE
PUM30698	004 077 522	MVIE 403-2G	Variable Speed, Vertical Multistage, In Line Pump, 400V	Wilo SE
PUM30699	004 077 523	MVIE 406-2G	Variable Speed, Vertical Multistage, In Line Pump, 400V	Wilo SE
PUM30700	004 089 917	MVIE 410-2G	Variable Speed, Vertical Multistage, In Line Pump, 400V	Wilo SE

Aca Code	Product Code	Product Name	Short Description	Manufacturer
PUM30701	004 059 711	MVIE 414-2G	Variable Speed, Vertical Multistage, In Line Pump, 400V	Wilo SE
PUM30705	004 059713	MVIE 811-2G	Variable Speed, Vertical Multistage, In Line Pump, 400V	Wilo SE

”

19. Part 28 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
EVA13355	LGKZ	Verde Cargo Van	Electric cargo van	Verde Autos
EVA13357	LGHT	Verde Pick Up	Electric pick up	Verde Autos
EVA13370	Modec	Modec	5.5 tonne Gross Vehicle Weight Battery Electric Commercial Vehicle	Modec Ltd
EVA17416	MLGKZ	Verde Mini Bus	Electric people carrier	Verde Autos
EVA29325	CT1501-S2	ChargePoint	Bollard Style Charging Station 16A 230v SP c/w Mounting Kit	Coulomb Technologies

”


20. Part 29 of Schedule 2 of the Principal Order is amended by inserting the following:

“

Aca Code	Product Code	Product Name	Short Description	Manufacturer
AEV29968	ELS-2T-LGV	PPO 2-Tank Light Goods Vehicle	Upgrade system allowing van / light goods vehicle to use 100% vegetable oil.	Elsbett Technologie GmbH
AEV29969	ELS-2T-HGV	PPO 2-Tank HGV	Upgrade system allowing heavy goods vehicles to use 100% vegetable oil	Elsbett Technologie GmbH

”

The Minister for Finance approves the making of the foregoing Order.



GIVEN under my Official Seal,
7 May 2010.

BRIAN LENIHAN,
Minister for Finance.



GIVEN under my Official Seal,
10 May 2010.

EAMON RYAN,
Minister for Communications, Energy and Natural Resources.

EXPLANATORY NOTE

(This note is not part of the Instrument and does not purport to be a legal interpretation)

The effect of this Order is to update, in accordance with the provisions of section 285A of the Taxes Consolidation Act 1997 (inserted by section 46 of the Finance Act 2008), those energy efficient products whose capital cost will be eligible for accelerated capital allowances and to update the energy efficiency criteria used to determine eligibility for inclusion on those product lists.

The Accelerated Capital Allowance Scheme will involve quarterly updates to those product lists.

BAILE ÁTHA CLIATH
ARNA FHOILSIÚ AG OIFIG AN tSOLÁTHAIR
Le ceannach díreach ón
OIFIG DHÍOLTA FOILSEACHÁN RIALTAIS,
TEACH SUN ALLIANCE, SRÁID THEACH LAIGHEAN, BAILE ÁTHA CLIATH 2,
nó tríd an bpost ó
FOILSEACHÁIN RIALTAIS, AN RANNÓG POST-TRÁCHTA,
AONAD 20 PÁIRC MIONDÍOLA COIS LOCHA, CLÁR CHLAINNE MHUIRIS, CONTAE
MHAIGH EO,
(Teil: 01 - 6476834 nó 1890 213434; Fax: 094 - 9378964 nó 01 - 6476843)
nó trí aon díoltóir leabhar.

DUBLIN
PUBLISHED BY THE STATIONERY OFFICE
To be purchased directly from the
GOVERNMENT PUBLICATIONS SALE OFFICE
SUN ALLIANCE HOUSE, MOLESWORTH STREET, DUBLIN 2,
or by mail order from
GOVERNMENT PUBLICATIONS, POSTAL TRADE SECTION,
UNIT 20 LAKESIDE RETAIL PARK, CLAREMORRIS, CO. MAYO,
(Tel: 01 - 6476834 or 1890 213434; Fax: 094 - 9378964 or 01 - 6476843)
or through any bookseller.

€13.46



Wt. (B27568). 287. 5/10. Cahill. Gr. 30-15.